SYQ GROUP
BUSINESS SOLUTIONS

SYQ FLEX

PRODUCT CATALOGUE

PREMIUM RUBBER INSULATION SOLUTION FOR EVER NEED



SAUDI MADE

ISO 9001:2015

UL Solutions

WWW.SYQGROUP.COM info@syqgroup.com

SYQ GROUP
BUSINESS SOLUTIONS

FLEX

ABOUT SYQ FLEX

SYQ flex is a leading provider of high-quality rubber insulation solutions designed for diverse industrial and commercial applications. Our products deliver exceptional thermal performance, energy efficiency, and long-term reliability.

HIGH QUALITY MATERIALS

ADVANCED TECHNOLOGY

WIDE RANGE OF APPLICATIONS

CUSTOMER FOCUSED



WWW.SYQGROUP.COM info@syqgroup.com

SYQ GROUP
BUSINESS SOLUTIONS

SYQ FLEX

OUR PRODUCTS INCLUDE :

1



INSULATION SHEET & TUBE:
High performance rubber insulation sheet and tube for effective thermal control and energy savings.

2



LAMINATE INSULATION SHEET & TUBE:
Advanced laminated insulation solutions with enhanced moisture resistance and superior durability.

3



FLEXIBLE DUCT & DUCT CONNECTOR:
Durable and flexible air duct solutions with reliable connectors for easy installation and long service life.

4



TAPES & ADHESIVES:
Premium tapes including Foam, ALU Glass, FSK, Aluminum Foil, and Insulation Tapes for all applications.

WWW.SYQGROUP.COM info@syqgroup.com

SYQ GROUP
BUSINESS SOLUTIONS

SYQ FLEX

FLEXIBLE ELASTOMERIC FOAM INSULATION

Rubber Flex is Flexible Elastomeric Foam made of Nitrile Butadiene Rubber, from thickness 6 mm to 50 mm both in sheet (with or without self-adhesive) and in tube forms. The insulation is flexible throughout our product range.



TECHNICAL DATA SHEET

Property	Value / Assessment	Test Method
Material	Closed Cell NBR elastomeric Foam	-
Thermal Conductivity	0.0321\ W/m-K	ASTM C518
Water Vapour Transmission	0.00 Perm-in	ASTM E96
Operating Temperature Range	-180 to +105	ASTM C534
Fire Rating	FSI < 25 | SDI < 50	ASTM E84/UL723

WWW.SYQGROUP.COM info@syqgroup.com

duct sheet tube

SYQ GROUP
BUSINESS SOLUTIONS

FLEX

SYQ FLEX ALUGLASS (ALOGUASK GLASS)

Rubber Flex is Flexible Elastomeric Foam made of Nitrile Butadiene Rubber, from thickness 6 mm to 50 mm in sheet and tube forms.
The insulation is finished with factory applied AluGlass facing as a finish product.



TECHNICAL DATA SHEET

Property	Value / Assessment	Test Method
Material	Closed Cell NBR Foam with AluGlass Facing	-
Thermal Conductivity at 30	0.0321\ W/m-K	ASTM C518
Water Vapour Transmission	0.00 Perm-in	ASTM E96
Operating Temperature Range	-180 to +105	ASTM C534
Fire Rating	FSI < 25 | SDI < 50	ASTM E84/UL723

WWW.SYQGROUP.COM info@syqgroup.com

duct sheet tube

SYQ GROUP
BUSINESS SOLUTIONS

FLEX

SYQ FLEX ALUCLAD

FLEXIBLE ELASTOMERIC FOAM INSULATION WITH ALU-CLAD FACING SYQ Flex is Flexible Elastomeric Foam made of Nitrile Butadiene Rubber, from thickness 6 mm to 50 mm in sheet and tube forms. The Insulation is finished with factory applied Alu-Clad facing as a finish product.

TECHNICAL DATA SHEET

Property	Value / Assessment	Test Method
Material	Closed Cell NBR Foam with Alu-Clad Facing	-
Thermal Conductivity at 30	0.0321\ W/m-K	ASTM C518
Water Vapour Transmission	0.00 Perm-in	ASTM E96
Operating Temperature Range	-180 to +105	ASTM C534
Fire Rating	FSI < 25 | SDI < 50	ASTM E84/UL723



WWW.SYQGROUP.COM info@syqgroup.com

duct sheet tube

SYQ GROUP
BUSINESS SOLUTIONS

SYQ FLEX

SYQ FLEX XLPE

With a thin layer of aluPET, this closed cell XLPE insulation offers excellent thermal performance and protection in demanding environments for the long term.

TECHNICAL DATA SHEET

Property	Value / Assessment	Test Method
Material	Cross Linked Polyethylene (XLPE) Foam with aluPET Facing	-
Density	25-35 kg/m^3	ASTM D1622
Operating Temperature Range	-80 to +105	ASTM C534
Fire Rating	Class 1	BS476



SYQ GROUP
BUSINESS SOLUTIONS

FLEX

SYQ FLEX FLEXIBLE DUCT INSULATED FLEXIBLE DUCT

Very strong fully flexible compressible light weight duct which is widely used in air-conditioning and ventilation systems.

TECHNICAL DATA SHEET

Property	Value / Assessment
Inner Core	Polyester Film
Outer Core	Aluminum Foil
Insulation Thickness	25/38/50 mm
Operating Temperature	-30 to +80
Maximum Velocity	5000 fpm
Fire Rating	Class 1/Class 0 | BS 476 Part 7/6



SYQ GROUP
BUSINESS SOLUTIONS

SYQ FLEX

SYQ FLEX FLEXIBLE DUCT **Flexible, non-insulated air duct**

With a thin layer of aluPET, this closed cell XLPE insulation offers excellent thermal performance and protection in demanding environments for the long term.

TECHNICAL DATA SHEET

Property	Value / Assessment
Inner Core	Polyester Film
Outer Core	Aluminum Foil
Operating Temperature	-30 to +80
Maximum Velocity	5000 fpm
Fire Rating	Class 1/Class 0 | BS 476 Part 7/6



SYQ GROUP
BUSINESS SOLUTIONS

SYQ FLEX

SYQ FLEX FLEXIBLE DUCT

PVC FLEXIBLE DUCT

Very strong fully flexible compressible light weight duct which is widely used in air-conditioning and ventilation systems.

TECHNICAL DATA SHEET

Property	Value / Assessment
Inner Core	Polyester Film
Outer Core	PVC Film
Insulation Thickness	25/38/50 mm
Operating Temperature	-30 to +120
Maximum Velocity	5000 fpm
Fire Rating	Class 1/Class 0 | BS 476 Part 7/6



WWW.SYQGROUP.COM info@syqgroup.com

duct flexible

SYQ GROUP
BUSINESS SOLUTIONS

SYQ FLEX

SYQ FLEX FLEXIBLE DUCT CONNECTOR

Used to eliminate duct system noises and vibrations in industrial and commercial applications. The connector is flexible and easy to install with air tight flexible joint.

TECHNICAL DATA SHEET

Property	Value / Assessment | Test Method
Basic Fabric Coating	Polyester Yarn Vinyl
Weight	570 GR / M^2
Operating Temperature	-40 to +83
Fire Rating	Class A | ASTM E-84



SYQ GROUP
BUSINESS SOLUTIONS


FLEX

SYQ FLEX FSK TAPES

Rubberflex FSK Tape (Foil+Scrim+Kroft Paper) is coated with a strong solvent base acrylic adhesive and laminated with release liner.

TECHNICAL DATA SHEET

Property	Value / Assessment | Test Method
Backing Thickness	60K
Tarying Time	2 hours
Adhesion strength	8.50 N/mm^2
Operating Temperature	-16to +106
Fire properties	<25/90 | ASTM E 84 Class A



WWW.SYQGROUP.COM info@syqgroup.com

duct tape

SYQ GROUP
BUSINESS SOLUTIONS

SYQ FLEX

SYQ FLEX ALUMINIUM FOIL TAPE

Rubberflex Aluminium Foil Tape is coated with a strong hot melt adhesive and laminated with release liner.

TECHNICAL DATA SHEET

Property	Value / Assessment | Test Method
Backing Thickness	20 mm
Tensile strength	2000gms/inch | ASTM D 3759
Elongation at break	5% | ASTM D 3759
Shear strength	96 hours | ASTM D 3654
Operating temperature range	-5 to +95



WWW.SYQGROUP.COM info@syqgroup.com

duct tape

SYQ GROUP
BUSINESS SOLUTIONS

SYQ FLEX

SYQ FLEX NBR FOAM TAPES

Rubberflex FSK Tape (Foil+Scrim+Kroft Paper) is coated with a strong solvent base acrylic adhesive and laminated with release liner.

TECHNICAL DATA SHEET

Property	Value / Assessment | Test Method
Backing Thickness	3 mm | ASTM D 3759
Tensile strength	>210 n/in
Elongation at Break	>165
Thermal conductivity	0.032 W/mk | ASTM C 518
Operating Temperature Range	-40 t0 +93 | up to 300 for Silicone Rubber
Water permeability	0 perm.in | ASTM-E96
Fire Rating	Class A | ASTM E-84



SYQ GROUP
BUSINESS SOLUTIONS

SYQ FLEX

Licenses



المملكة العربية السعودية
Kingdom of Saudi Arabia

هيئة الزكاة والضريبة والجمارك
Zakat, Tax and Customs Authority

شهادة تسجيل في ضريبة القيمة المضافة
VAT Registration Certificate

تشهد هيئة الزكاة والضريبة والجمارك بأن المكلف أدناه مسجل في ضريبة القيمة المضافة بتاريخ 2026/03/01م

The Zakat, Tax and Customs Authority certifies that the taxpayer below is VAT registered on 01/03/2026 AD

Taxpayer Name	مجموعة إس واي كيو لخدمات الأعمال	اسم المكلف
VAT Registration Number	314370651300003	رقم التسجيل الضريبي
Effective Registration Date	2026/03/01	تاريخ نفاذ التسجيل
Taxpayer Address	26511، الطائف، حي عودة، جوام الهيثي	عنوان المكلف
CR National Number / License/ Contract / ID No.	7052425316	الرقم الموحد للسجل التجاري / الرخصة / العقد / الهوية
Tax Period	Quarterly ربع سنوي	الفترة الضريبية



وزارة التجارة
Ministry of Commerce

شهادة السجل التجاري

مجموعة إس واي كيو لخدمات الأعمال

- الرقم الوطني الموحد: 7052425316
- تاريخ الإصدار: 05/11/2025
- نوع الكيان: شركة ذات مسؤولية محدودة
- صفات الشركة : (شخص واحد)
- حالة السجل: نشط

البيانات الأساسية للسجل التجاري

7052425316

@mcgovsa

1900
mc.gov.sa

WWW.SYQGROUP.COM info@syqgroup.com

SYQ GROUP
BUSINESS SOLUTIONS

SYQ FLEX

Certificates

CERTIFICATE | ZERTIFIKAT | CERTIFICADO | СЕРТИФИКАТ | 证书 | شهادة



TÜV AUSTRIA

Certificate No.: 2010024301960
Issue Date: May 22, 2025
Valid Until: May 21, 2028

CERTIFICATE

Quality Management System

TÜV AUSTRIA certifies that the Quality Management System of

SYQ GROUP

P.O. Box: 122368, Industrial Area 15,
Sharjah, United Arab Emirates

has been assessed and found to be in accordance with the requirements of

ISO 9001:2015

Scope of Certification:

Manufacture of Flexible Air Ducts and Air Connectors

Certified Product: ROYAL DUCT – Insulated Flexible Duct

Certificate Registration No.: 2010024301960
Issue Date: May 22, 2025
Valid Until: May 21, 2028
Initial Certification Date: May 22, 2025

Markus Richter
Head of Certification Body
TÜV AUSTRIA GMBH

This certification was conducted in accordance with the TÜV AUSTRIA auditing and certification procedures and is subject to regular surveillance audits.

Verify validity of this certificate by scanning this QR code

IAF

D-ZM-16077-01-00

TÜV AUSTRIA GMBH | Deutschstraße 10 | 1230 Vienna | Austria

www.tuv.at



SMACNA

Certificate No.: SMACNA-0325S-SYQ
Issue Date: May 22, 2025
Valid Date: May 22, 2028

CERTIFICATE

OF COMPLIANCE

This is to certify that the product(s) listed below for the company indicated have been:

DESIGNED / MANUFACTURED IN ACCORDANCE WITH APPLICABLE SMACNA REQUIREMENTS

for

SYQ GROUP

P.O. Box: 122368, Industrial Area 15,
Sharjah, United Arab Emirates

PRODUCT:	ROYAL DUCT – Insulated Flexible Duct
PRODUCT DESCRIPTION:	Flexible Air Duct with Insulation
APPLICATION:	HVAC Systems
MATERIALS AND CONSTRUCTION:	In accordance with applicable SMACNA requirements

This certification confirms that the above product(s) have been designed and manufactured in accordance with the applicable SMACNA requirements and standards.


A. J. (Tanji) Sapienza, CAE
Chief Executive Officer
SMACNA

SMACNA SEAL OF CERTIFICATION

SMACNA
The Sheet Metal and Air Conditioning Contractors' National Association

To verify the authenticity of this certificate, please contact SMACNA or visit www.smacna.org

4201 Patriot Drive, Rockville, MD 20850, USA | www.smacna.org



CERTIFICATE OF COMPLIANCE

Certificate Number	EX17350
Report Reference	EX17350-2021-08-01
Date	2026-September-17
Issued to:	SYQ GROUP INDUSTRIAL Po Box 1122 Riyadh - Al-Kharj Industrial Area Kingdom of Saudi Arabia 14717 Sa
This is to certify that representative samples of	FLEXIBLE AIR DUCT See Addendum Page for Product Designation(s).
	Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.
Standard(s) for Safety:	UL 181 , Factory-Made Air Ducts and Air Connectors
Additional Information:	See the UL Online Certifications Directory at https://iq.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.


WWW.SYQGROUP.COM info@syqgroup.com

SYQ GROUP
BUSINESS SOLUTIONS


SYQ FLEX

Products








WWW.SYQGROUP.COM info@syqgroup.com


SYQ GROUP
BUSINESS SOLUTIONS

SYQ FLEX

Products









WWW.SYQGROUP.COM info@syqgroup.com

SYQ GROUP
BUSINESS SOLUTIONS

SYQ FLEX

Our clients

























SYQ GROUP
BUSINESS SOLUTIONS

SYQ FLEX

Our clients

























SYQ GROUP
BUSINESS SOLUTIONS

SYQ FLEX

At Rubberflex, we deliver high-performance industrial solutions with trusted quality, innovation and reliability. Thank you for choosing Rubberflex.

CONTACT US

RIYADH - JEDDAH - DAMMAM - TAIF

INFO@SYQGROUP.COM

KSA: 0533134385 - 0540017497

WWW.SYQGROUP.COM

@SYQGROUP

WHY CHOOSE SYQ FLEX?

Trusted Quality:
Products you can rely on

Industrial Grade:
Built for demanding applications

Reliable Performance:
Consistent results, every time

Expert Support:
Professional assistance at every step

Innovative Solutions:
Smart products for modern industries



THANK YOU FOR CHOOSING SYQ FLEX